








WIREMESH CABLE TRAY & JOINT CONNECTORS





TYPE	W (mm)	t (mm)	H (mm)
D1-100	100	4.0	40
D1-200	200	4.0	40
D1-300	300	4.0	40
D1-400	400	4.0	40
D1-500	500	4.0	40



TYPE	W (mm)	t (mm)	H (mm)
D2-100	100	4.0	60
D2-200	200	4.0	60
D2-300	300	4.0	60
D2-400	400	4.0	60
D2-500	500	4.0	60




JOINT CONNECTORS



TYPE	t (mm)
DP-275	2.5
DP-275E	2.5

There is no powder coating on material. Upon request as per TS 914 EN ISO 1461 norms hot dip galvanization can be done

TYPE: BP -20



TYPE: BP -15



TYPE: BP -35



TYPE: BP -50









TYPE	t (mm)
DP-15	2.0
DP-20	2.0
DP-35	2.0
DP-50	2.0


Material: Pre-galvanized steel as per TS 822

INSTALLATION

MOUNTING EXAMPLES




INSTALLATION EXAMPLE OF 90° HORIZONTAL ELBOW



SHORT TYPE


-Please note: W=200mm, 300mm, 400mm, 500mm is available



LONG TYPE

-Please note: W=200mm, 300mm, 400mm, 500mm is available

INSTALLATION EXAMPLE OF HORIZONTAL TEES



W=100mm

BP-20: 3 pieces
BP-15: 3 pieces
BB 6X16: 3 sets

-Please note:
W=200mm, 300mm, 400mm, 500mm is available

BP-35: 6 pieces
SP-275E: 2 pieces
BB 6x16: 6 sets